

Plsst ; DklQs< kbd\ofEsg 2071

S†; =	laj <)f	kbd\ofEsg 2072/073 klt sŷf ?=
j f*{g=1		
s† Jofkfl<S lřq		
1	g=kf= rřš bŷl kmNuğGb rřš,dfdf rřš, rhrhrl df=ŷ j fl*E xb)xj Nbf< rřš ; Ddsf]kSsl j f^řh] %g] bfof_j fofsf hlufx? M	2000000
2	<jL : ^)* < cf; kf; sf kSsl ; *sn] %řřsf hlufx?	13000000
v cfj f; lřq		
1	dfdf rřš bŷl lx=df=la= ; Dd < ^]nsd clkř; bŷv ; tf; L dfu{hfg]; *sn] %řřsf hlufx?	1000000
2	lx=df=ŷ = bŷl kfEdl rřš ; Dd hfg]; *sn] %řřsf hlufx?	500000
3	xj Nbf< rřš bŷl efEj f<L :sh ; Dd kSsl ; *sn] %řřsf hlufx?	1000000
4	g=kf= rřš j f^ ^řhsd xb)kSsl sNe^ ; Ddsf] bfof_j fofsf hlufx?	1000000
5	^řhsd clkř; kř {kSsl sNe^ bŷl kE<fř ; Ddsf hlufx?	600000
6	dfly plnljvt j řxš kSsl j f^řh] %g] hlufx?	650000
7	dfly plnljvt j řxšf ufj řh j f^řh] %g] hlufx?	400000
8	xj Nbf< rřš bŷv cfvf c:křfn ; Ddsf] bfof_j fofsf hlufx?	400000
u= Sřřf lřq		
1	भाइवारी स्कूल - पाइनी चौक कच्ची वाटोले छुने दायां वायांका जग्गाहरु	400000
2	dfly plnljvt afxšsf sRrl j f^řh] %g] hlufx?	200000
3	dfly plnljvt afxšsf j f^řh] %g] vřl ofřo hlufx?	100000
# au< lřq		
1	vřřřfwf< ; fdfřo vřl xg] lřřřsf hlufx?	50000
2	k)ř{?kdf vřřřf eřřř lřřřsf hlufx?	25000
j f*{g=2		
S†; =	laj <)f	klt sŷf ?=
s cfj f; lo lřq		
1	>ř& rřš xb)lx=df=ŷ = :sh xb)gof_cřřbf c:křfn ; Dd kSsl ; *sn] %g] hlufx?	1000000
2	>ř& rřš xb)gof_cřřbf rřš ; Ddsf hlufx?	500000
3	dfly plnljvt afxšsf cřo kSsl j f^řh] %g] hlufx?	500000
4	lx=df=ŷ = k%*L j f^ tf<fj f<L l*k' hřřř]; *sn] %g] hlufx?	500000
5	lx=df=ŷ = bŷl kfEdl rřš bfof_j fofsf hlufx?	500000
v Sřřf lřq		
1	lh<ř0ř rřš bŷl 2 < 4 sřř]; dfgř ; Dd bfof_j fofsf hlufx?	300000
2	cřřbf rřš bŷl 2,9 < 4 g_sřř]; dfgř ; Dd < dfly plnljvt afxšsf cřo uřřř ; *sn] %řřsf hlufx?	300000
3	dfly plnljvt afxšsf cřo sRrl ; *sn] %g] hlufx?	200000
4	dfly plnljvt afxšsf cřo vřl ofřo hlufx?	150000
j f*{g=3		
S†; =	laj <)f	klt sŷf ?=
s cfj f; lo lřq		
1	bds ař*fřl kSsl af^řh] %g] hlufx?	500000
2	dfly plnljvt afxšsf cřo uřřř ; *sn] %g] hlufx?	300000
v Sřřf lřq		
1	dfly plnljvt afxšsf cřo sRrl ; *sn] %g] hlufx?	200000
2	dfly plnljvt afxšsf vřl ofřo hlufx?	100000
u au< lřq		
1	vřřřfwf< au< lřřřsf hlufx?	50000
2	k)ř{?kdf vřřřf eřřř] hlufx?	25000
j f*{g=4		
S†; =	laj <)f	klt sŷf ?=
s cfj ; lo lřq		
1	vh<uf%L dwdNnf, cl*ofdfřh rřš, dbgcf>lt rřš, lx=df=ŷ = (s<křgl, tf<fj f<L l*k' ; *sn] %g] hlufx?	500000
2	dfyl plnljvt afxšsf cřo uřřř ; *sx?n] %g] hlufx?	150000
3	dfly plnljvt afxšsf cřo sRrl ; *sn] %g] hlufx?	150000
v Sřřf lřq		
1	dfly plnljvt afxšsf ; *sn] %g] vřl ofřo hlufx?	50000
j f*{g=5		

Plsst : DklQs< kþdlofEsg 2071

Sþ; =	laj <)f	kþdlofEsg 2072/073 klþ sýf ?=
Sþ; =	laj <)f	klþ sýf ?=
s	Jofkfls lfq	
1	bds ah*fE l kSsl ; *sn] %g] hllufx?	500000
v	cfj ; lo lfq	
1	cfdrfþ pQ< s) f dGbl< ah*fE l ufejh ; *sn] %g] hllufx?	200000
2	efnv*t ah*fE l ; *sn] %g] hllufx?	150000
3	dfly plnljvt afxþsf cGo ufejh ; ssn] %g] hllufx?	100000
u	Slf lfq	
1	dfly plnljvt afxþsf cGo sRrl ; ssn] %g] hllufx?	100000
2	dfly plnljvt afxþsf cGo v]l ofjo hllufx?	50000
#	au< lfq	
1	vfjhfw< ; fdfGo v]l xg] hllufx?	25000
2	au< lfqsf hllufx?	15000
	j f* {q=6	
Sþ; =	laj <)f	klþ sýf ?=
s	cfj ; lo lfq	
1	s) fdlGbl< j h*fE l ; *sn] %g] hllufx?	250000
2	dfyl plnljvt afxþsf ufejh ; *sn] %g] hllufx?	150000
v	Slf lfq	
1	dfly plnljvt afxþsf sRrl ; *sn] %g] ; a} hllufx?	50000
2	dfly plnljvt afxþsf ; *sn] %g] v]l ofjo hllufx?	35000
	j f* {q=7	
Sþ; =	laj <)f	klþ sýf ?=
s	cfj ; lo lfq	
1	tf<fj fL l*k' xb) ufjhfw< rfþ ; Ddsf] ; *sn] %g] hllufx?	100000
2	dfly plnljvt afxþsf <l* <f] < cGo ufejh ; *sn] %g] hllufx?	75000
v	Slf lfq	
1	dfly plnljvt afxþsf sRrl ; *sn] %g] hllufx?	50000
2	dfly plnljvt afxþsf ; *sn] %g] v]l ofjo hllufx?	35000
u	au< lfq	
1	vfjhfw< ; fdfGo v]l ofjo hllufx?	20000
2	k) f{?kn] afn] f ePsf hllufx?	15000
	j f* {q=8	
Sþ; =	laj <)f	klþ sýf ?=
s	Jofkfls lfq	
1	nfþdfu{ } %f] sf hllufx?	1000000
v	cfj ; lo lfq	
1	kSsl ; *sn] %g] bfof j fofsf hllufx?	400000
2	tf<fj fL l*k' s) fdlGbl< < ah*fE l ufejh ; *sn] %g] hllufx?	200000
3	dfly plnljvt afxþsf cGo ufejh ; *sn] %g] hllufx?	150000
u	Slf lfq	
1	dfly plnljvt afxþsf sRrl ; *sn] %g] hllufx?	100000
2	dfly plnljvt afxþsf ; *sn] %g] v]l ofjo hllufx?	70000
#	au< lfq	
1	vfjhfw< ; fdfGo v]l ofjo hllufx?	20000
2	afnahf{ ePsf] hllufx?	15000
	j f* {q=9	
Sþ; =	laj <)f	klþ sýf ?=
s	Jofkfls lfq	
1	nfþdfu{ } %g] hllufx?	1500000
v	cfj ; lo lfq	
1	kSsl ; *sn] %g] hllufx?	800000
2	lrof bfþfg pQ< <h] b] bxfnsf] #< ; Ddsf] bfof afosf hllufx?	600000
3	cf] b] sf dfu{xb} l bk nfn lwdnsf] #< ; Ddsf bfof j fofsf hllufx?	600000
4	lrof aufg xb) pQ< zflGt rþþ ; Dd ufejh ; *sn] %g] hllufx?	300000
5	nfþdfu{ u hfl] *g] k] f-rn pRr df-lj = hfq] af*fl ; Dd < s] b] k] f0þf] knl^Esf hllufx?	600000

Sþ; =	laj <)f	kþd¶ofEsg 2072/073 klþ sýf ?=
6	dfyl plnljvt afxþs ufejh ; *sn] %g] hllufx?	300000
7	dfyl plnljvt afxþs sRrL ; *sn] %g] hllufx?	200000
u S[if Ifg		
1	dfly plnljvt afxþssf af^f]gePsf vlt ofllo hllufx?	100000
j f* {g=10		
Sþ; =	laj <)f	klþ sýf ?=
s Jofkfl<s Ifg		
1	bds u)ftGg rfsþ bljv ; u<dfyf k]¶h kDk ; Ddsf nfþdfu{ %g] hllufx?	5000000
2	; u<dfyf k]¶h kDk bljv bds SofDk; df] ; Ddsf hllufx?	3500000
3	u)ftGg rfsþ bljv dfnkf] sfofho ; Ddsf hllufx?	3000000
4	dfnkf] sfofho bljv <ft]kh ; Ddsf hllufx?	2500000
v cf]f; lo Ifg		
1	<ft]kh bljv ddf rfsþ ; Ddsf hllufx?	1500000
2	^¶kms dfu{ dunlbk dfu{ uf]¶¶ldfu{kSsl ; *sn] %g] hllufx?	1200000
3	eþ*L rfsþ xb); u<dfyf k]¶h kDk; Ddsf hllufx?	1200000
4	SofDk; df] xb)gofFcDdf <f]n] %g] hllufx?	1500000
5	dfly plnljvt afxþssf cGo ; xfos kSsl ; *sn] %g] hllufx?	1200000
6	dfly plnljvt afxþssf cGo ; xfos ufejh ; *sn] %g] hllufx?	750000
7	dfly plnljvt afxþssf cGo ; xfos sRrL ; *sn] %g] hllufx?	500000
u S[if Ifg		
1	dfly plnljvt afxþssf ; *s gePsf leql hllufx?	300000
j f* {g=11		
Sþ; =	laj <)f	klþ sýf ?=
s Jofkfl<s Ifg		
1	Nffþdfu{ %g] hllufx?	5000000
2	v*fgGb kf]¶hsf]#< xb)l bks >]¶sf]#< ; Id; fn ahf< ; l#ld<]dfs} ; ; Ahl nf0G bljv kzklit dfu{xb)ln^bG dfuþf] dV ; Ddsf bf¶f j f¶f ; *sn] %f]¶sf hllufx?	3500000
3	kmNugGb rfsþ bljv xgdGg dlGb< ; Ddsf hllufx?	3500000
4	kzktl dfu{bljv b]sf]f rfsþ xb)u)ftGg rfsþ ; Ddsf hllufx?	3500000
5	dfnkf] sfofho cuf*L bljv u)ftGg rfsþ ; Ddsf hllufx?	3500000
6	<ft]kh bljv dfnkf] sfofho cuf*L ; Ddsf hllufx?	3500000
7	xgdGg dlGb< bljv nfþdfu{ ; Ddsf hllufx?	3500000
8	kmNugGb rfsþ bljv ddf rfsþ < kmNugGb rfsþ bljv <ft]kh ; Ddsf hllufx?	3500000
9	ln^bG dfuþf] dVbljv ; kt<¶ PkmPd ; Ddsf hllufx?	3500000
10	; kt<¶ PkmPd, gDgf dfu{bljv u)ftGg rfsþ ; Ddsf hllufx?	3500000
11	; Gtj< nfd rfsþ bljv p0< cdl< nfdsf]#< xb)al\$z] < eþ<fsf]#< ; Ddsf hllufx?	2500000
12	<lg rfsþ bljv b]sf]f rfsþ ; Dd < cf0<cf]¶d= nf0Gsf hllufx?	2500000
v cf]f; lo Ifg		
1	Dfdf rfsþ bljv <ft]kh ; Ddsf hllufx?	2000000
2	Dfly pln]y afxþssf cGo kSsl af^f] %g] hllufx?	1500000
3	Dfly pln]y afxþssf cGo ufejh af^f] %g] hllufx?	1000000
j f* {g=12		
Sþ; =	laj <)f	klþ sýf ?=
s Jofkfl<s Ifg		
1	g-kf= rfsþ bljv xgdGg dlGb< ; Ddsf hllufx?	3500000
2	xgdGg dlGb< bljv kzxf^ ; Ddsf hllufx?	3500000
3	g-kf= rfsþ xb)k] {^¶nsd ; Dd < lgnS}& <f]¶ <fwfS]f dlGb< rfsþ ; Ddsf]bf¶f j fofsf hllufx?	2500000
v cf]f; lo Ifg		
1	dfly pln]y afxþssf cGo kSsl af^f] %g] hllufx?	1500000
2	dfly pln]y afxþssf k<^<f] bljv klZrd < cGo ufejh af^f] %g] hllufx?	1000000
3	dfly pln]y afxþssf cGo sRrL ; *sn] %g] hllufx?	600000
u S[if Ifg		
1	dfly pln]y afxþssf v]l ofllo hllufx?	300000
# au< Ifg		
1	v]¶fwf< ; fdfGo v]l ofllo hllufx?	100000
2	k]f{?kdf v]¶f j uþf] hllufx?	50000

S† =	laj <)f	kbd\lofEsg 2072/073 klt sŷf ?=
	j f*{g=13	
S† =	laj <)f	klt j u{ld^<
s	Jofkfl<s lřq	
1	nfšdfuř]g]hlufx?	15000
2	xf0[]; řdf<l dfu{b}lv gkřn dfsř, lasfz dfuřf]klzřd gkřn dfsř hfřg]af^ř] zlxdbfu{sřrg *řl ; Dd < gofF ahf< cf; kf; sf hlufx?	10000
3	lasfzdfuřf]dflypln]vt :yřgaf^ ls<řt rřš ; Ddsf hlufx?	6500
v	cfj ; lo lřq	
1	gkřn dfsř b}l lbklgl kh ; Ddsf hlufx?	7380
2	zlx b dfu{sřrg *řl pBřu b}l lbkřl kh ; Ddsf hlufx?	7380
3	ls<řt rřš b}l eřf<řh e)*řlsřf] ; Ddsf hlufx?	5900
4	gof_j hf< k] {nl<dl bhřnsf]#< xb}hfř]uřeř ; *s blřf) cđj < gkřnsřf]#<, dřl ldn ; Ddsř]břof j řofsř hlufx?	7380
5	; řj s bds 7 < dwdlnř 4 ^a ePřf hlufx?	2950
6	dfly pln]vt afxřřf cřo ; xřos kSřl ; *sn]hlufx?	2950
7	dfly pln]vt afxřřf cřo uřeř ; *s < knl^E ; *sřf hlufx?	1500
8	dfly pln]vt afxřřf cřo sRřl ; *sn]řřřf hlufx?	1500
u	Sřřf lřq	
1	dfly pln]vt afxřřf vřl ořo hlufx?	1000
#	au< lřq	
1	vřřřwf< ; řřřo vřl xg]hlufx?	300
2	k}řau< lřřřf hlufx?	150
	j f*{g=14	
S† =	laj <)f	klt j u{ld^<
s	Jofkfl<s lřq	
1	nfšdfuř]g]hlufx?	10000
v	cfj ; lo lřq	
1	kSřl ; *sn]g]hlufx?	3000
2	lbklgl kh b}l j uřg g; řl ; Ddsf hlufx?	10000
3	j<uřl rřš b}l xf0[]; řdf<l af^ř] ; Dd < h]l ; dfuřf]dxřb] ; J]fsř]břof j řofsř hlufx?	4430
4	Sofřk; k] {hg<n sřkgl lřq laBř křlws<)f b}lv pQ<sf knl^E tyř sRřl ; *sn]g] ; a)hlufx?	4430
5	dfly pln]vt j řřš cřo ; *sn]g]hlufx?	2600
u	Sřřf lřq	
1	dfly pln]vt afxřřf af^ř]gePřf vřl ořo hlufx?	625
#	au< lřq	
1	dfly pln]vt afxřřf vřřř wf< ; řřřo vřl xg]hlufx?	150
2	dfly pln]vt afxřřf k}ř{kdf vřřř ePřf hlufx?	100
	j f*{g=15	
S† =	laj <)f	klt j u{ld^<
s	Jofkfl<s lřq	
1	nfšdfuř]g]hlufx?	5000
v	cfj ; lo lřq	
1	cřo kSřl ; *sn]řřřf ; a)hlufx?	3000
2	lřof břřř blřřf nfšaxřb< lwdřnsř]#<xb}k] {zřlřtdfu{pQ<sf ; j}hlufx?	2000
3	xf0[]; řdf<lsř]awřřř ; Dd < ; ř]b}l kř {řknřf ; a)hlufx?	1000
4	dfly pln]v afxřřf cřo uřeř ; *sn]g]hlufx?	1000
5	dfly pln]v afxřřf cřo sRřl ; *sn]g]hlufx?	600
u	Sřřf lřq	
1	dfly pln]v afxřřf vřl ořo ; *sn]g]g]hlufx?	400
#	au< lřq	
1	vřřřwf< ; řřřo vřl xg]hlufx?	150
2	k}ř{kdf vřřř ePřf hlufx?	100
	j f*{g=16	
S† =	laj <)f	klt j u{ld^<
s	Jofkfl<s lřq	
1	nfšdfuř]g]hlufx?	3000
v	cfj ; lo lřq	
1	s)řdřb< blřřf) cřřřf^řlsř] ; *s pQ< řřřř řl rřš blřřf) rřřř xb}lkunř křřd ; Ddsf hlufx?	700

Plsst ; DklQs< kyd\lofEsg 2071

S† =	laj <)f	kyd\lofEsg 2072/073 klt sŷf ?=
2	dflŷ plnlŷvt j fx\$ ŷfejh ; *sn]%g]hllufx?	400
u	S[f lfŷ	
1	dflŷ plnlŷvt afx\$ŷsf cŷo sRrl ; *sn]%g]hllufx?	300
2	dflŷ plnlŷvt afx\$ŷsf cŷo vŷl ofŷo hllufx?	250
#	au< lfŷ	
1	vfhfwf< ; fdfŷo vŷlxg]hllufx?	150
2	j u< lfŷsf hllufx?	100
	j f*(g=17	
S† =	laj <)f	klt ju{ld^<
s	cfj f; lo lfŷ	
1	ŷfejh j f^f]%g]hllufx?	300
v	S[f lfŷ	
1	dflŷ plnlŷvt afx\$ŷsf sRrl ; *sn]%g]hllufx?	200
2	dflŷ plnlŷvt afx\$ŷsf vŷl ofŷo hllufx?	100
u	au< lfŷ	
1	vfhfwf< ; fdfŷo vŷlxg]hllufx?	100
2	j u< lfŷsf hllufx?	50
	j f*(g=18	
S† =	laj <)f	klt ju{ld^<
s	cfj f; lo lfŷ	
1	; u<dfŷf rf\$ blif f xfo[] ; ŷdf< ; *sn]%fŷsf hllufx?	700
v	S[f lfŷ	
1	dflŷ plnlŷvt afx\$ŷsf ŷfejh ; *sn]%g]hllufx?	350
2	dflŷ plnlŷvt afx\$ŷsf sRrl ; *sn]%g]hllufx?	300
3	dflŷ plnlŷvt afx\$ŷsf vŷl ofŷo hllufx?	200
u	au< lfŷ	
1	vfhfwf< ; fdfŷo vŷlsf hllufx?	100
2	j u< lfŷsf hllufx?	50
	j f*(g=19	
S† =	laj <)f	klt ju{ld^<
s	cfj ; lof lfŷ	
1	xfo[] ; ŷdf< ; *sn]%fŷsf hllufx?	500
v	S[f lfŷ	
1	dflŷ plnlŷvt afx\$ŷsf cŷo ŷfejh ; *sn]%g]hllufx?	300
2	dflŷ plnlŷvt afx\$ŷsf cŷo sRrl ; *sn]%g]hllufx?	200
3	dflŷ plnlŷvt afx\$ŷsf vŷl ofŷo hllufx?	100
u	au< lfŷ	
1	vfhfwf< ; fdfŷo vŷlxg]hllufx?	100
2	j u< lfŷsf hllufx?	50